



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/647,058	08/21/2003	J. Patrick Thompson	MSFT-1748/302722.01	1588
41505	7590	03/18/2011	EXAMINER	
WOODCOCK WASHBURN LLP (MICROSOFT CORPORATION)			PHAM, MICHAEL	
CIRA CENTRE, 12TH FLOOR				
2929 ARCH STREET			ART UNIT	
PHILADELPHIA, PA 19104-2891			PAPER NUMBER	
			2167	
			NOTIFICATION DATE	
			DELIVERY MODE	
			03/18/2011	
			ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

eofficemonitor@woodcock.com

Office Action Summary	Application No. 10/647,058	Applicant(s) THOMPSON ET AL.	
	Examiner MICHAEL PHAM	Art Unit 2167	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11, 13-20, 23 and 37-48 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11, 13-20, 23, 37-48 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Status

1. Claims 1-11, 13-20, 23, and 37-48 are pending and examined.

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: element 218 in figure 2 does not exist and was identified in paragraph 0071 of the specifications as filed and in paragraph 0075 of 20050055354 application as published. Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Specification

3. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Claim Objections

4. Claims 1, 37, and 43 are objected to because of the following informalities: it appears “expose to the user mode applications” should be “exposed to the user mode applications”.
Appropriate correction is required.

Claim Rejections - 35 USC § 112

5. Prior 112 rejection is withdrawn.

35 USC § 101 comments

6. Regarding claims 43-48 these claims recite a ‘computer readable storage medium’ and ‘processor’. In the absence of any modifying disclosure of this limitation in the specification, the examiner interprets the terms ‘computer readable storage medium’ and the term ‘processor’ as limited to statutory embodiments only, such that the claims fall within a statutory class of invention as required under the terms of 35 U.S.C. 101.

7. Regarding claims 1-11, 13-20, 23 these claims recite a ‘computer readable storage medium’ and ‘processor’. In the absence of any modifying disclosure of this limitation in the specification, the examiner interprets the terms ‘computer readable storage medium’, and the term ‘processor’ as limited to statutory embodiments only, such that the claims fall within a statutory class of invention as required under the terms of 35 U.S.C. 101.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. **Claims 1, 37, and 43 rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), and U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon).**

Claim 1

Bristor discloses the following claimed limitations:

“a processor coupled to a computer readable storage medium, the computer readable storage medium including” [figure 6, computer system]

“the file system configured to store file data as filestreams and the database management program is configured to generate Items from the file data and expose the Items to a shell of the operating system, the Items constituting discrete storable units of information;”[Figure 1, mystuff; mystuff.txt, mystuff.dat, mystuff.c. Accordingly, the file system (mystuff e.g. file system containing files) configured to store file data as filestreams (mystuff.txt, mystuff.dat, mystuff.c) and the database management program (command) is configured to generate Items

(Figure 1B, 112L) from the file data (mystuff) and expose (figure 1B) the Items (112 commands) to a shell of the operating system (col. 8 lines 41-50, processed as if user had entered the command), the Items constituting discrete storable units of information (figure 1B element 112L).]

“the instructions for the database management program further including instructions for generating a plurality of Item Folders that constitute an organizational structure for said Items,”[Figure 1B 108. Accordingly, the instructions for the database management program (figure 1B, command prompt 102) further including instructions for generating a plurality of Item Folders (figure 1B element 108) that constitute an organizational structure for said Items (figure 1B element 108 M)]

“and each Item Folder includes membership information identifying any relationships with Items;”[Figure 1B element 108; col. 8 lines 4-8, in accordance with the present invention, an organization scheme which is symbolic and with which users are already familiar is used in a novel manner to categorize previously generated user data. Accordingly, each Item folder (figure 1B element 108) includes membership information (fig. 1B, M) identifying any relationships with Items (fig. 1B, 112)]

“the instructions for the database management program including instructions for generating a plurality of Categories that constitute an additional organizational structure for said Items, at least one of said Items belonging to at least one of the Categories”[Abstract lines 3-8, regeneration in a history database in one of two or more categories associated with two or more respective component symbols of the user data. For example, in one embodiment, user data includes alphabetic symbols and a respective category is formed for each letter of the alphabet.

Art Unit: 2167

Accordingly, the instructions for the database management program including instructions for generating a plurality of Categories (Categories) that constitute an additional organizational structure (respective category is formed for each letter of the alphabet) for said Items (user data/commands 112), at least one of said Items belonging to at least one of the Categories (figure 1B element 112L).

“wherein each Item in a specific Category includes a common attribute that is described for that specific Category” [figure 1C elements 112MA-MC, 108M]

Bristor does not explicitly disclose

“the computer readable storage medium including instructions for an operating system including instructions for a database management program, the instructions for the database management program configured to control user mode application access to a file system”

“the instructions for the database management program further including instructions for receiving receive read/write requests from the user mode applications for Items via one or more functions of an operating system application program interface; and”

“the instructions for the database management program further including instructions for deserializing files storing the file data for the Items into Items and return the Items to the user mode applications.”

On the other hand, Choo discloses the following claimed limitations:

“the computer readable storage medium including instructions for an operating system including instructions for a database management program, the instructions for the database management program configured to control user mode application access to a file system,” [See figure 2-3. Accordingly, the computer readable storage medium (figure 3) including instructions

Art Unit: 2167

for an operating system (figure 2 element 200, system) including instructions for a database management program (figure 2 element 203, rules database), the instructions for the database management program (figure 2 element 203, rules database) configured to control (0014 line 15-16, determine whether the compartment associated with process 201 is permitted access) user mode application (figure 2 element 201, process executes code in user-space) access to a file system (0014 line 16, permitted access to the particular resource)]

“the instructions for the database management program further including instructions for receiving receive read/write requests from the user mode applications for Items via one or more functions of an operating system application program interface; and”[Figure 2 and 3.

Paragraphs 0014-0016. Accordingly, the instructions for the database management program (figure 2 element 203, rules database) further including instructions for receiving receive read/write requests (0016, command line utilities may further include commands to create, delete, and/or modify the rules stored in the rules database 316) from the user mode applications (0016 line 1, processes) for Items (0016 line 8, resources) via one or more functions of an operating system application program interface (0016 lines 2-3, command line utilities)]

“the instructions for the database management program further including instructions for deserializing files storing the file data for the Items into Items and return the Items to the user mode applications.”[Figure 2 and 3. Paragraphs 0014-0016. Accordingly, the instructions for the database management program (figure 3 rules database) further including instructions (various components and modules for the various types of resources)for deserializing files (limit access to system resources) storing the file data (types of resources) for the Items (resources)into

Items (access system resources) and return the Items to the user mode applications (process is permitted access to the particular resource)]

Both Bristor and Choo disclose the systems that manipulate file systems. They are therefore within applicant's same field of endeavor and are therefore analogous. Bristor provides a database management program that allows access to file data, see figure 1A and 1B. Choo discloses a rules database management program within a kernel of the operating system, see figure 2. Choo discloses that the rules database management program provides for authorized access to particular file resources, see abstract. It would have therefore been obvious to a person of an ordinary skill in the art at the time the invention was made to have provided the disclosure of Choo above to the disclosure of Bristor for the purpose of defining authorization to file resources. Doing so would improve upon Bristor's system by providing protection to files in a file system.

The combination of Bristor and Choo do not explicitly disclose

"wherein the Items constitute discrete storable units of information and are objects having basic sets of properties that are commonly supported across all objects expose to user mode applications"

"wherein the Item Folders themselves are Items"; and

"Categories are themselves Items";

On the other hand, Nelson discloses

"wherein the Items constitute discrete storable units of information and are objects having basic sets of properties that are commonly supported across all objects expose to user mode applications"[col. 3 lines 59-60, items can be for example folder or a document col. 6 lines 8-

Art Unit: 2167

13, the automatic linking system will move documents from one folder to another if the attributes are changed or the item is redefined as a different type even when the item is located in a folder hierarchy several layers deep. Col. 3 lines 9-13, when an item's attributes are changed, or the item is redefined as a different type, the item is re-indexed. The present system then changes the item's link from the original folder to a new or different folder that matches the item's new attributes or definition. Accordingly, wherein the Items (items) constitute discrete storable units of information (a folder or a document) and are objects (items) having basic sets of properties (attributes) that are commonly supported across all objects (matches the item's new attributes or definition) expose to user mode applications (figure 3)]

“wherein the Item Folders are themselves Items” [col. 3 lines 59-60, items can be for example folder or a document], and

“Categories are themselves items” [col. 1 lines 38-42, each item may exist as the source and/or target]

Bristor, Choo, and Nelson are all within applicant's same field of endeavor as they are all directed to filing systems. Nelson discloses that the Categories can be items as seen in col. 1 lines 38-42, and further discloses that the Item folders are themselves Items as can be seen in col. 3 lines 59-60. The combination of Bristor and Choo disclose in Bristor that items are organized, see abstract lines 3-8. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied Nelson's disclosure above to the combination of Bristor and Choo for the purpose of further categorizing and organizing items.

Bristor, Choo, and Nelson do not explicitly disclose the database management program further including instructions for receiving “ at least item creation, copy, move, and delete

Art Unit: 2167

operation requests from the user mode applications via one or more functions of an operating system application programming interface"

On the other hand, Picon discloses "at least item creation, copy, move, and delete operation requests from the user mode applications via one or more functions of an operating system application programming interface" [See paragraph 0006. Accordingly, the database management program (file manager) further including instructions for receiving "at least item creation (create), copy (copy), move (move), and delete operation requests (delete) from the user mode applications (user friendly graphical interface) via one or more functions of an operating system application programming interface (api of the operating system)]

Picon, Bristor, Choo, and Nelson are all directed to file systems, and are therefore all within the same field of endeavor. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied the disclosure of Picon to the combination of Bristor, Choo, and Nelson for the purpose of facilitating retrieval and manipulation of files in a file system.

Claim 37:

Bristor discloses the following claimed limitations:

"storing, by the file system, file data;"[figure 1, mystuff; mystuff.txt, mystuff.dat, mystuff.c. Accordingly, the storing, by the file system (mystuff, e.g. file system containing files), file data (mystuff.txt, mystuff.dat, mystuff.c).]

"generating, by the database management program, Items from the file data, wherein each Item of said plurality of items constitutes a discrete unit of information;"[Figure 1.

Art Unit: 2167

Accordingly, generating, by the database management program (figure 1B), Items from the file data (figure 1B element 112L), wherein each Item of said plurality of items constitutes a discrete unit of information (figure 1B element 112L)]

“generating, by the database management program from the file data, Item Folders, the Item Folders constituting an organizational structure for said Items” [Figure 1. Accordingly, generating, by the database management program (figure 1B) from the file data (figure 1B, mystuff), Item Folders (figure 1B element 108), the Item Folders constituting an organizational structure (figure 1B element 108) for said Items (figure 112L)]

“exposing, by the database management program, the Items and the Item Folders to a shell of the operating system.”[Accordingly, exposing (col. 8 line 44, to retrieve and re-enter command), by the database management program (figure 1B 102), the Items (figure 1B element 112L) and the Item Folders (figure 1B 108) to a shell of the operating system (col. 10 line 64, c-shell)]

Bristor does not explicitly disclose:

“executing an operating system including a database management program, the database management program configured to control user mode application access to a file system;”

“receiving, by the database management program, read/write requests from the user mode applications for Items via one or more functions of an operating system application program interface;”

“deserializing, by the database management program, files storing the file data for the Items into Items.”

On the other hand, Choo discloses

“executing an operating system including a database management program, the database management program configured to control user mode application access to a file system;”[See figure 2-3, See figure 2-3. Accordingly, executing an operating system (figure 2 element 200, system) including a database management program (figure 2 element 203, rules database), the database management program (figure 2 element 203, rules database)configured to control (0014 line 15-16, determine whether the compartment associated with process 201 is permitted access) user mode application (figure 2 element 201, process executes code in user-space) access to a file system (0014 line 16, permitted access to the particular resource)]

“deserializing, by the database management program, files storing the file data for the Items into Items.”[Figure 2 and 3. Paragraphs 0014-0016. Accordingly, deserializing (limit access to), by the database management program (figure 3 rules database), files (system resources) storing the file data (types of resources) for the Items (resources) into Items (access system resources)]

Both Bristor and Choo disclose the systems that manipulate file systems. They are therefore within applicant’s same field of endeavor and are therefore analogous. Bristor provides a database management program that allows access to file data, see figure 1A and 1B. Choo discloses a rules database management program within a kernel of the operating system, see figure 2. Choo discloses that the rules database management program provides for authorized access to particular file resources, see abstract. It would have therefore been obvious to a person of an ordinary skill in the art at the time the invention was made to have provided the disclosure of Choo above to the disclosure of Bristor for the purpose of defining authorization to file

resources. Doing so would improve upon Bristol's system by providing protection to files in a file system.

On the other hand, Nelson discloses

“wherein each Items of said plurality of items constitutes discrete storable units of information and is an object having basic sets of properties that are commonly supported across all objects expose to user mode applications”[col. 3 lines 59-60, items can be for example folder or a document col. 6 lines 8-13, the automatic linking system will move documents from one folder to another if the attributes are changed or the item is redefined as a different type even when the item is located in a folder hierarchy several layers deep. Col. 3 lines 9-13, when an item’s attributes are changed, or the item is redefined as a different type, the item is re-indexed. The present system then changes the item’s link from the original folder to a new or different folder that matches the item’s new attributes or definition Accordingly, wherein each Item of said plurality of items (items)constitutes discrete storable units of information (a folder or a document) and is an object (items) having basic sets of properties (attributes) that are commonly supported across all objects (matches the item’s new attributes or definition) expose to user mode applications (figure 3)]

“wherein the Item Folders are a type of Item” [col. 3 lines 59-60, items can be for example folder or a document]

Bristol, Choo, and Nelson are all within applicant’s same field of endeavor as they are all directed to filing systems. They are all therefore analogous and relevant. Nelson discloses that the Categories can be items as seen in col. 1 lines 38-42, and further discloses that the Item folders are themselves Items as can be seen in col. 3 lines 59-60. The combination of Bristol and

Art Unit: 2167

Choo disclose in Bristor that items are organized, see abstract lines 3-8. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied Nelson's disclosure above to the combination of Bristor and Choo for the purpose of further categorizing and organizing items.

Bristor, Choo, and Nelson do not explicitly disclose "receiving by the database management program, at least item creation, copy, move, or delete operation requests from the user mode applications via one or more functions of an operating system application programming interface"

On the other hand, Picon discloses "at least item creation, copy, move, and delete operation requests from the user mode applications via one or more functions of an operating system application programming interface" [See paragraph 0006. Accordingly, receiving from the database management program (file manager) at least item creation (create), copy (copy), move (move), or delete operation requests (delete) from the user mode applications (user friendly graphical interface) via one or more functions of an operating system application programming interface (api of the operating system)]

Picon, Bristor, Choo, and Nelson are all directed to file systems, and are therefore all within the same field of endeavor. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied the disclosure of Picon to the combination of Bristor, Choo, and Nelson for the purpose of facilitating retrieval and manipulation of files in a file system.

Claim 43:

Bristor discloses the following claimed limitations:

“instructions for the file system configured to store file data;” [figure 1, mystuff; mystuff.txt, mystuff.dat, mystuff.c. Accordingly, instructions for the file system (mystuff, e.g. file system containing files) configured to store file data(mystuff.txt, mystuff.dat, mystuff.c)]

“the instructions for the database management program further including instructions for generating a plurality of Items, said Item comprising a discrete unit of information from the file data;” [Figure 1. Accordingly, instructions for the database management program (figure 1B) further including instructions for generating a plurality of Items (figure 1B element 112L; figure 1C 112MA-MC), said Item comprising a discrete unit of information from the file data]

“instructions for the database management program further including instructions for generating a plurality of Item Folders from the file data, the Item Folders including membership information identifying any relationships with Items;”[Accordingly, instructions for the database management program further including instructions for generating (figure 1B) a plurality of Item Folders (figure 1B element 108) from the file data (figure 1B mystuff), the Item Folders (figure 1B element 108) including membership information identifying any relationships (figure 1B element 108) with Items (figure 1B element 112)]

“instructions for the database management program further including instructions for generating a plurality of Categories from the file data, the Categories constituting an organizational structure for said Items;”[Figure 1B. Accordingly, instructions for the database management program further including instructions for generating (figure 1B element 102) a plurality of Categories (figure 1B, A-Z) from the file data (figure 1B ls mystuff), the Categories

(figure 1B, A-Z) constituting an organizational structure (alphabetical) for said Items (figure 1B 112)]

“instructions for the database management program further including instructions for exposing the Items to a shell of the operating system.”[figure 1B. Accordingly, instructions for exposing (col. 8 line 44 to retrieve and re-enter command), by the database management program (figure 1B element 102), the Items to a shell of the operating system (col. 10 line 64, c-shell)]

Bristor does not explicitly disclose

“instructions for an operating system database management program, the instructions for the database management program configured to control user mode application access to a file system;”

On the other hand, Choo discloses

“instructions for an operating system database management program, the instructions for the database management program configured to control user mode application access to a file system;”[See figure 2-3, Accordingly, instructions for an operating system (figure 2 element 200) including a kernel mode (figure 2, kernel) and a user mode (figure 2, user space), the kernel mode (figure 2 kernel) of the operating system (figure 2 200) including instructions for a database management program (figure 2 element 203), the instructions for the database management program (figure 2 element 203) encapsulating instructions (rules) for a file system (file resources)]

Both Bristor and Choo disclose the systems that manipulate file systems. They are therefore within applicant’s same field of endeavor and are therefore analogous. Bristor provides a database management program that allows access to file data, see figure 1A and 1B. Choo

Art Unit: 2167

discloses a rules database management program within a kernel of the operating system, see figure 2. Choo discloses that the rules database management program provides for authorized access to particular file resources, see abstract. It would have therefore been obvious to a person of an ordinary skill in the art at the time the invention was made to have provided the disclosure of Choo above to the disclosure of Bristol for the purpose of defining authorization to file resources. Doing so would improve upon Bristol's system by providing protection to files in a file system.

The combination of Bristol and Choo do not explicitly disclose

“said Item comprising a discrete storable units of information and are objects having basic sets of properties that are commonly supported across all objects expose to user mode applications”

“the Item Folders are themselves a type of Item”

On the other hand, Nelson discloses

“wherein the Items constitute discrete storable units of information and are objects having basic sets of properties that are commonly supported across all objects expose to user mode applications”[col. 3 lines 59-60, items can be for example folder or a document col. 6 lines 8-13, the automatic linking system will move documents from one folder to another if the attributes are changed or the item is redefined as a different type even when the item is located in a folder hierarchy several layers deep. Col. 3 lines 9-13, when an item's attributes are changed, or the item is redefined as a different type, the item is re-indexed. The present system then changes the item's link from the original folder to a new or different folder that matches the item's new attributes or definition Accordingly, wherein the Items (items) constitute discrete storable units

Art Unit: 2167

of information (a folder or a document) and are objects (items) having basic sets of properties (attributes) that are commonly supported across all objects (matches the item's new attributes or definition) expose to user mode applications (figure 3)]

“and the Item Folders are themselves a type of Item” [col. 3 lines 59-60, items can be for example folder or a document]

Bristor, Choo, and Nelson are all within applicant's same field of endeavor as they are all directed to filing systems. They are all therefore analogous and relevant. Nelson discloses that the Categories can be items as seen in col. 1 lines 38-42, and further discloses that the Item folders are themselves Items as can be seen in col. 3 lines 59-60. The combination of Bristor and Choo disclose in Bristor that items are organized, see abstract lines 3-8. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied Nelson's disclosure above to the combination of Bristor and Choo for the purpose of further categorizing and organizing items.

Bristor, Choo, and Nelson do not explicitly disclose the database management program further including instructions for receiving “at least item creation, copy, move, and delete operation requests from the user mode applications via one or more functions of an operating system application programming interface”

On the other hand, Picon discloses “at least item creation, copy, move, and delete operation requests from the user mode applications via one or more functions of an operating system application programming interface” [See paragraph 0006. Accordingly, the database management program (file manager) further including instructions for receiving “at least item creation (create), copy (copy), move (move), and delete operation requests (delete) from the user

Art Unit: 2167

mode applications (user friendly graphical interface) via one or more functions of an operating system application programming interface (api of the operating system)]

Picon, Bristor, Choo, and Nelson are all directed to file systems, and are therefore all within the same field of endeavor. It would have been obvious to a person of an ordinary skill in the art at the time the invention was made to have applied the disclosure of Picon to the combination of Bristor, Choo, and Nelson for the purpose of facilitating retrieval and manipulation of files in a file system.

10. Claims 2-3, 5, 7-8, 10, 38, 39, 41, 44, 45, and 47 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon), and U.S. Patent Application Publication 2004/0199521 by Anglin et. al (hereafter Anglin).

Claim 2 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose “wherein an Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of said Item.” On the other hand, Anglin discloses “wherein an Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of

Art Unit: 2167

said Item.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i.”

This follows the request to delete the “group leader” which represents the group ID of the “storage group” or the “Item Folder” as in referred to in the claim.) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin’s disclosure above to the combination of Bristor, Choo, Picon, and Nelson for the purpose of providing a removal method for the item.

Claim 3 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose “wherein an Item is automatically deleted when it no longer belongs to any Item Folder.” On the other hand, Anglin discloses “wherein an Item is automatically deleted when it no longer belongs to any Item Folder.” (See page 3, paragraph [0029] “If the target group is the only indicated group in the associated groups fields for the specified storage object entry, then the storage management server deletes the specified storage object entry from the storage database and deletes the identifier of the deleted storage object entry from the group entry for the target group.”) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied

Art Unit: 2167

Anglin's disclosure above to the combination of Bristor, Choo, Nelson, and Picon for the purpose of providing a removal method for the item.

Claim 5 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose "wherein said Item is automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted." On the other hand, Anglin discloses "wherein said Item is automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted." (See page 3, paragraph [0028] "The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i." This follows the request to delete the "group leader" which represents the group ID of the "storage group" or the "Item Folder" as in referred to in the claim.) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant's invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin's disclosure above to the combination of Bristor, Choo, Nelson, and Picon for the purpose of providing a removal method for the item.

Claim 7 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose "wherein each Item is a member of at least one Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of an Item." Anglin

Art Unit: 2167

discloses “wherein each Item is a member of at least one Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of an Item.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i.” This follows the request to delete the “group leader” which represents the group ID of the “storage group” or the “Item Folder” as in referred to in the claim.) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin’s disclosure above to the combination of Bristor, Choo, Nelson, and Picon for the purpose of providing a removal method for the item.

Claim 8 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose “wherein each said Item is itself automatically deleted when it no longer belongs to any Item Folder.” Anglin discloses “wherein each said Item is itself automatically deleted when it no longer belongs to any Item Folder.” (See page 3, paragraph [0029] “If the target group is the only indicated group in the associated groups fields for the specified storage object entry, then the storage management server deletes the specified storage object entry from the storage database and deletes the identifier of the deleted storage object entry from the group entry for the target group.”) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s

Art Unit: 2167

invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin's disclosure above to the combination of Bristor, Choo, Picon, and Nelson for the purpose of providing a removal method for the item.

Claim 10 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose "wherein each said Item is itself automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted." Anglin discloses "wherein each said Item is itself automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted." (See page 3, paragraph [0028] "The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i." This follows the request to delete the "group leader" which represents the group ID of the "storage group" or the "Item Folder" as in referred to in the claim.) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant's invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin's disclosure above to the combination of Bristor, Choo, Picon, and Nelson for the purpose of providing a removal method for the item.

Claim 38 :

Art Unit: 2167

The combination of Bristol, Choo, Nelson, and Picon do not explicitly disclose “wherein at least one Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of said at least one Item.” Anglin discloses “wherein at least one Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of said at least one Item.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i.” This follows the request to delete the “group leader” which represents the group ID of the “storage group” or the “Item Folder” as in referred to in the claim.) Bristol, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin’s disclosure above to the combination of Bristol, Choo, Nelson, and Picon for the purpose of providing a removal method for the item.

Claim 39 :

The combination of Bristol, Choo, Nelson, Picon, and Anglin disclose in Anglin “wherein the at least one Item is automatically deleted when it no longer belongs to any Item Folder.” (See page 3, paragraph [0029] “If the target group is the only indicated group in the associated groups fields for the specified storage object entry, then the storage management server deletes the specified storage object entry from the storage database and deletes the identifier of the deleted

Art Unit: 2167

storage object entry from the group entry for the target group.”)

Claim 41 :

The combination of Bristol, Choo, Nelson, Picon, and Anglin disclose in Anglin “The method of claim 38 wherein the at least one Item is automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i.” This follows the request to delete the “group leader” which represents the group ID of the “storage group” or the “Item Folder” as in referred to in the claim.)

Claim 44 :

The combination of Bristol, Choo, Nelson, and Picon do not explicitly disclose “wherein at least one Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of said Item.” Anglin discloses “wherein the Item is a member of an Item Folder but is not owned by said Item Folder, such that the deletion of said Item Folder does not automatically result in the deletion of said Item.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the relationship between the storage object and group i.” This follows the request to delete the “group leader” which represents the group ID of the “storage

Art Unit: 2167

group” or the “Item Folder” as in referred to in the claim.) Bristor, Choo, Nelson, Picon, and Anglin are all directed to the same field of endeavor as applicant’s invention, as they are systems of file organization and management. It would have been obvious to a person of an ordinary skill in the art at the time the invention was disclosed to have applied Anglin’s disclosure above to the combination of Bristor, Choo, Nelson, and Picon for the purpose of providing a removal method for the item.

Claim 45 :

The combination of Bristor, Choo, Nelson, Picon, and Anglin disclose in Anglin ”The computer-readable medium of claim 44 wherein the at least one Item is automatically deleted when it no longer belongs to any Item Folder” (See page 3, paragraph [0029] “If the target group is the only indicated group in the associated groups fields for the specified storage object entry, then the storage management server deletes the specified storage object entry from the storage database and deletes the identifier of the deleted storage object entry from the group entry for the target group.”).

Claim 47 :

The combination of Bristor, Choo, Nelson, Picon, and Anglin disclose in Anglin “The computer-readable medium of claim 44 wherein the at least one Item is automatically deleted when it is a member of only one Item Folder and said Item Folder is deleted.” (See page 3, paragraph [0028] “The secondary deletion ensure that a storage object and corresponding storage object entry are only removed if the storage object is not a member of any further groups after eliminating the

Art Unit: 2167

relationship between the storage object and group i.” This follows the request to delete the “group leader” which represents the group ID of the “storage group” or the “Item Folder” as in referred to in the claim.)

11. Claims 4, 6, 9, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon), and U.S. Patent Application Publication 2004/0073560 by Edwards (hereafter Edwards).

Claim 4 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose "wherein an Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder." On the other hand, Edwards teaches more explicitly an Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder. (See page 3, paragraph [0038] "The synchroniser can be set to 'Recycle' rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be 'recycled'. This means it is not deleted immediately, but stored in an area where it can be retrieved if required." In the instant application, the area in which the item is stored is called the default Item Folder). It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, and Picon with

Art Unit: 2167

the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, and Picon. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have an Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.

Claim 6 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly disclose “said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.” However, Edwards teaches said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder. (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder.) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, and Picon with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, and Picon. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this

Art Unit: 2167

reason that one of ordinary skill in the art would have been motivated to have said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.

Claim 9 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly teach “each said Item, when each no longer belongs to any Item Folder, automatically become members of a default Item Folder.” Nelson does disclose col. 5 lines 54-56, No folder exists matching these attributes. Consequently, the library server 25 creates a folder with the following attributes. However, Edwards more explicitly teaches “each said Item, when each no longer belongs to any Item Folder, automatically become members of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder.) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, and Picon with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, and Picon. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have each said Item, when each no longer belongs to any Item Folder, automatically

become members of a default Item Folder.

Claim 11 :

The combination of Bristor, Choo, Nelson, and Picon do not explicitly teach “each said Item, when each is a member of only one Item Folder and said Item Folder is deleted, automatically become members of a default Item Folder.” Nelson does disclose col. 5 lines 54-56, No folder exists matching these attributes. Consequently, the library server 25 creates a folder with the following attributes. However, Edwards teaches “each said Item, when each is a member of only one Item Folder and said Item Folder is deleted, automatically become members of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder.) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, and Picon with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, and Picon. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have each said Item, when each is a member of only one Item Folder and said Item Folder is deleted, automatically become members of a default Item Folder.

12. Claims 13-20 rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon), and U.S. Patent 6578046 by Chang et. al. (hereafter Chang).

Claim 13 :

Bristor, Choo, Nelson, and Picon do not explicitly disclose “The computer system of claim 1 wherein a category is defined by an Item property.” Nelson discloses col. 4 lines 60-62, automatic linking rules for that item type. These rules are stored in a separate table in the library server. However, Chang more explicitly teaches “a Category is defined by an Item property.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” Simply by the Category being formed as the result of a query, the Item property is necessarily what defined the Category, as the data must meet the Item property in order to be a result of the query.) It would have been obvious to one with ordinary skill the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of Chang because it would be logical to use the Item property as what defines the categories, especially in the case of a query. It is for this reason that one of ordinary skill in the art would have been motivated to have a Category is defined by an Item property.

Claim 14 :

Bristor, Choo, Nelson, and Picon do not explicitly disclose “wherein one of said plurality of Categories is defined by an Item Property and only an Item comprising the Item property for a specific Category from among said plurality of Categories can be a member of said specific Category.” The combination of Bristor, Choo, Nelson, and Picon disclose in Nelson col. 4 lines 60-62, automatic linking rules for that item type. These rules are stored in a separate table in the library server. However, Chang teaches more explicitly “wherein one of said plurality of Categories is defined by an Item Property and only an Item comprising the Item property for a specific Category from among said plurality of Categories can be a member of said specific Category.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” Simply by the Category being formed as the result of a query, the Item property is necessarily what defined the Category, as the data must meet the Item property in order to be a result of the query. Also, by the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property.) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of Chang because it would be logical to use the Item property as what defines the categories, especially in the case of a query. It is for this reason that one of ordinary skill in the art would have been motivated to have one of said plurality of Categories is defined by an Item property, and only an Item comprising the Item

Art Unit: 2167

property for a specific Category from among said plurality of Categories can be a member of said specific Category.

Claim 15 :

Bristor, Choo, Nelson, and Picon do not explicitly disclose “an Item comprising the Item property for one of said plurality of Categories is automatically a member of that one of said plurality of Categories.” However, Chang teaches “an Item comprising the Item property for one of said plurality of Categories is automatically a member of that one of said plurality of Categories.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” By the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property. Here, all of the results of the query are included in on the collection [referred to in the instant application as a category].) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of Chang because keeping the results of the query, all of which exhibit a relationship, is useful in that the query will not have to be run again. It is for this reason that one of ordinary skill in the art would have been motivated to include an Item comprising the Item property for one of said plurality of Categories is automatically a member of that one of said plurality of Categories.

Claim 16 :

Art Unit: 2167

Bristor, Choo, Nelson, and Picon do not explicitly disclose “an Item comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories is automatically a member of each such Categories for said corresponding Item properties.”

However, Chang teaches “an Item comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories is automatically a member of each such Categories for said corresponding Item properties.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” By the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property. Here, all of the results of the query are included in on the collection [referred to in the instant application as a category].) It would have been obvious to one with ordinary skill the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of Chang because keeping the results of the query, all of which exhibit a relationship, is useful in that the query will not have to be run again. It is for this reason that one of ordinary skill in the art would have been motivated to include an Item comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories is automatically a member of each such Categories for said corresponding Item properties.

Claim 17 :

Bristor, Choo, Nelson, and Picon do not explicitly discloses “wherein each of said plurality of categories is defined by an item property.” Nelson does disclose col. 4 lines 60-62, automatic

Art Unit: 2167

linking rules for that item type. These rules are stored in a separate table in the library server. However, Chang more explicitly teaches “each of said plurality of Categories is defined by an Item property.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” Simply by the Category being formed as the result of a query, the Item property is necessarily what defined the Category, as the data must meet the Item property in order to be a result of the query.) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristol, Choo, Nelson, and Picon with the disclosure of Chang because it would be logical to use the Item property as what defines the categories, especially in the case of a query. It is for this reason that one of ordinary skill in the art would have been motivated to have each of said plurality of Categories is defined by an Item property.

Claim 18 :

Bristol, Choo, Nelson, and Picon do not explicitly teach “each of said plurality of Categories is defined by an Item property, and only Items comprising the Item property for a specific Category from among said plurality of Categories can be members of said specific Category.” However, Chang teaches “each of said plurality of Categories is defined by an Item property, and only Items comprising the Item property for a specific Category from among said plurality of Categories can be members of said specific Category.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-

Art Unit: 2167

groupings relationships that exist between them.” Simply by the Category being formed as the result of a query, the Item property is necessarily what defined the Category, as the data must meet the Item property in order to be a result of the query. Also, by the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property.) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristol, Choo, Nelson, and Picon with the disclosure of Chang because it would be logical to use the Item property as what defines the categories, especially in the case of a query. It is for this reason that one of ordinary skill in the art would have been motivated to have each of said plurality of Categories is defined by an Item property, and only Items comprising the Item property for a specific Category from among said plurality of Categories can be members of said specific Category.

Claim 19 :

Bristol, Choo, Nelson, and Picon do not explicitly teach “each Item comprising the Item property for one of said plurality of Categories are automatically members of that one of said plurality of Categories.” However, Chang teaches “each Item comprising the Item property for one of said plurality of Categories are automatically members of that one of said plurality of Categories.”

(See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” By the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property. Here, all of the results of the query are included in

Art Unit: 2167

on the collection [referred to in the instant application as a category].) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of Chang because keeping the results of the query, all of which exhibit a relationship, is useful in that the query will not have to be run again. It is for this reason that one of ordinary skill in the art would have been motivated to include each Item comprising the Item property for one of said plurality of Categories are automatically members of that one of said plurality of Categories.

Claim 20 :

Bristor, Choo, Nelson, and Picon do not explicitly teach “all Items comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories are automatically members of all such Categories for said corresponding Item properties.”

However, Chang teaches “all Items comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories are automatically members of all such Categories for said corresponding Item properties.” (See column 13, lines 26-30 “In the preferred embodiment, a FederatedCollection allows an application program to process data objects resulting from a query as a group or collection and at the same time preserves the sub-groupings relationships that exist between them.” By the nature of queries only returning the results that are related, the only members of the Category will be from results that comprise the Item property. Here, all of the results of the query are included in on the collection [referred to in the instant application as a category].) It would have been obvious to one with ordinary skill in the art to combine the system as disclosed in Bristor, Choo, Nelson, and Picon with the disclosure of

Art Unit: 2167

Chang because keeping the results of the query, all of which exhibit a relationship, is useful in that the query will not have to be run again. It is for this reason that one of ordinary skill in the art would have been motivated to include all Items comprising one or more Item properties corresponding to one or more Categories of said plurality of Categories are automatically members of all such Categories for said corresponding Item properties.

13. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon), and U.S. Patent 6438545 by Beauregard et. al. (hereafter Beauregard)

Claim 23 :

Bristor, Choo, Nelson, and Picon do not explicitly disclose “a virtual machine manager”.

However, Beauregard teaches said Item is a fundamental unit of information manipulated by a virtual machine manager. (See column 13, lines 12-16 “This broad I/O capability can be provided under the Virtual Machine Manager (VMM) that is available under Win32. The VMM is an extensible operating system whose core and standard components are provided by Microsoft Corporation.”) Because of the advantages provided by VMM as taught in Beauregard, such as the broad I/O capability, it would have been obvious to one with ordinary skill in the art to combine the VMM of Beauregard with the teaching of Bristor, Choo, Nelson, and Picon. It is for this reason that one of ordinary skill in the art would have been motivated to have said Item is a fundamental unit of information manipulated by a virtual machine manager.

14. Claims 40, 42, 46, and 48 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6018342 by David Bristor (hereafter Bristor) further in view of U.S. Patent Application Publication 20030009685 by Choo et. al. (hereafter Choo), U.S. Patent 7158962 by Kenneth Nelson (hereafter Nelson), U.S. Patent Application Publication 20060206511 by Picon et. al. (hereafter Picon), U.S. Patent Application Publication 2004/0199521 by Anglin et. al (hereafter Anglin), and U.S. Patent Application Publication 2004/0073560 by Edwards (hereafter Edwards).

Claim 40 :

Bristor, Choo, Nelson, Picon, and Anglin do not explicitly teach “said at least one Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.” However, Edwards teaches said Item, “when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder). It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, Picon, and Anglin with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, Picon, and Anglin. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future

Art Unit: 2167

use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have said Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.

Claim 42 :

Bristor, Choo, Nelson, Picon, and Anglin do not explicitly teach “said at least one Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.” However, Edwards teaches “said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder.) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, Picon, and Anglin with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, Picon, and Anglin. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.

Claim 46 :

Bristor, Choo, Nelson, Picon, and Anglin do not explicitly disclose “said at least one Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.” However, Edwards teaches “said Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristor, Choo, Nelson, Picon, and Anglin with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristor, Choo, Nelson, Picon, and Anglin. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have said Item, when it no longer belongs to any Item Folder, automatically becomes a member of a default Item Folder.

Claim 48 :

The combination of Bristor, Choo, Nelson, Picon, and Anglin do not explicitly disclose “wherein said at least one item, when it is a member of only one Item Folder and said Item Folder is

Art Unit: 2167

deleted, automatically becomes a member of a default Item Folder.” However, Edwards teaches “said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.” (See page 3, paragraph [0038] “The synchroniser can be set to ‘Recycle’ rather than delete files. This means that whenever the synchroniser is to over-write or delete a file, the file is passed to the operating system to be ‘recycled’. This means it is not deleted immediately, but stored in an area where it can be retrieved if required.” In the instant application, the area in which the item is stored is called the default Item Folder.) It would have been obvious to one with ordinary skill in the art to combine the Item and Item folder system of Bristol, Choo, Nelson, Picon, and Anglin with the disclosure of a recycling method of Edwards by simply adding the recycling method of Edwards to the system of Bristol, Choo, Nelson, Picon, and Anglin. Edwards points out the advantage of keeping the potentially deleted file (or in the instant application, the object,) available for future use rather than immediate deletion. It is for this reason that one of ordinary skill in the art would have been motivated to have said Item, when it is a member of only one Item Folder and said Item Folder is deleted, automatically becomes a member of a default Item Folder.

Response to Arguments

15. Applicant's arguments with respect to claim 1-11, 13-20, 23, and 37-48 have been considered but are moot in view of the new ground(s) of rejection.

A. Applicant’s primarily assert that the claims are not disclosed because “the instructions for the database management program further including instructions for

receiving at least item creation, copy, move, and delete operation from the user mode applications for items via one or more functions of an operating system application program interface; and the instructions for the database management program further including instructions for deserializing files storing the file data for the items into items and returning the items to the user mode applications is not disclosed by choo. That the rules database allows access to a file; however nothing in the section describes deserializing file data into items.

In response, this is now moot. It is respectfully disagreed that a database management program including instructions for “deserializing files storing the file data for the items into items and returning the items to the user mode applications” is not disclosed by Choo.

Applicant’s fail to further describe how deserializing files is done in the claimed limitation.

Choo discloses that there is a database management program including instructions for “deserializing files storing the file data for the items into items and returning the items” [See Figure 2 and 3. Paragraphs 0014-0016. Accordingly, the instructions for the database management program (figure 3 rules database) further including instructions (various components and modules for the various types of resources)for deserializing files (limit access to system resources) storing the file data (types of resources) for the Items (resources)into Items (access system resources)and return the Items to the user mode applications (process is permitted access to the particular resource)]

Choo discloses 0014 lines 13-20, “access control logic 202 utilizes the compartment identifier to search rule database to determine whether the compartment associated with process 201 is permitted access to the particular resource. If access is permitted by the rules contained in

rule database 203, access control logic transfers processing control to communication access module 204 that performs the software operations to access the resource.”

In other words, the database management program (rules database) contains instructions for deserializing files storing the file data (limit access to system resources) for the items (resources to be accessed) into items (accessed resources) and returning the items (accessed resources) to the user mode applications (process 201).

The rules database does deserialize file data into items by determining if the resources are accessible and providing the resources if they are accessible.

Conclusion

15. The prior art made of record listed on pto-892 and not relied, if any, upon is considered pertinent to applicant's disclosure.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 2167

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Contact Information

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL PHAM whose telephone number is (571)272-3924. The examiner can normally be reached on 9am-5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Cottingham can be reached on 571-272-7079. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/M. P./
Examiner, Art Unit 2167

/John R. Cottingham/
Supervisory Patent Examiner, Art Unit
2167

Application/Control Number: 10/647,058
Art Unit: 2167

Page 46